



Spectrum Test Report



Color Parameters:

Chromaticity Coordinate (2Deg): $x=0.6920$ $y=0.3076$ / $u'=0.5215$ $v'=0.5216$ $duv=-7.387$

Tc=1001K Dominant WL:Ld=620.4nm Purity=99.9%

Ratio:R=98.2% G=1.8% B=0.0% Peak WL:Lp=626.9nm HWL:16.4nm

Render Index:Ra=6.5 Lav=625.6nm

R1 =0.53 R2 =77.56 R3 =22.75 R4 =-37.05 R5 =-7.06

R6 =89.89 R7 =-5.22 R8 =-89.53 R9 =-256.86 R10=70.69

R11=-22.40 R12=78.37 R13=26.47 R14=55.05 R15=-47.53

TLCI Parameters: TLCI-2012 = 1

Photo Parameters:

Flux = 142.4 lm Eff. : 84.00 lm/W Fe = 635.2 mW

Photosynthetic (400-700nm): PPF:3.3152 μ mol/s

PRF:635.62mW

Eff (PPF):1.96 μ mol/s/W

Electrical parameters:

VF = 2.420 V IF = 700.3 mA P = 1695 mW

IR = 0 uA (VR = 5.002 V)

LEVEL:** [OUT] WHITE:OUT

Status: T=48.00ms Ip=45281 (69%) [HAAS2000_V3_USB] V2.00.307

Model:	Number:040MR-U-FI2
Tester:李梅莲	Date:2021-03-06 09-40
Temperature:25.3Deg	Humidity:65.0%
Manufactory:	Remarks:
Assessor:席小峰	
System:LED300 + HAAS2000_V3_USB	